

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	10	(Vipin with Malik) (Gail with Murray) (Abhishek with Bhatt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:58
L5	0	4 and (record recording) and (play playing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 10:45
L6	3	4 and ((record recording) (play playing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:41
L7	0	4 and ((record recording))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:41
L8	1	4 and ((record recording recorded))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 09:42
L24	605	((program programming) with trigger) and ((record recording sense sensing sensor detect detecting detection detector) with data with (location position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:03
L25	1301	((program programming) with trigger) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:08

L26	246	((program programming) with trigger) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) and ((play playing simulate simulating simulation emulate emulating emulation) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:10
L27	1	((program programming) with trigger) same ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) same ((play playing simulate simulating simulation emulate emulating emulation) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:09
L28	259	((program programming) with trigger) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:40
L29	1	((program programming) with trigger) same ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) same ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:12
L30	4	((program programming) with trigger) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) and temporal and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:19

L33	5	((program programming) with trigger) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) and (first with occurrence) and (second with occurrence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:20
L34	8	((program programming) with trigger) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:19
L35	1	((program programming) with trigger) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) and (first with trigger with occurrence) and (second with trigger with occurrence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:21
L36	48	((program programming) with trigger) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) and (first with trigger) and (second with trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:25

L37	0	((program programming) with trigger) and ((store storing record recorded recording sense sensing sensor detect detecting detection detector) with data with (location position)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) and (first with trigger) and (second with trigger) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:25
L38	204	((program programming) with trigger) and ((store storing record recording sense sensing detect detecting detection trigger triggering) with data with (location position)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:30
L39	2	((program programming) with trigger) same ((store storing record recording sense sensing detect detecting detection trigger triggering) with data with (location position)) same ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:30
L40	134	((program programming) with trigger) and ((store storing record recording sense sensing detect detecting detection trigger triggering) with data with (location position)) and ((play playing) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:31
L41	0	((program programming) with trigger) and ((store storing record recording sense sensing detect detecting detection trigger triggering) with data with (location position)) and ((play playing) with data) with ((flow with meter) flowmeter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:31
L42	0	((program programming) with trigger) and ((store storing record recording sense sensing detect detecting detection trigger triggering) with data with (location position)) and ((play playing) with data) and ((flow with meter) flowmeter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:32

L43	2118	((program programming) with trigger) and (first with (trigger triggering))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:33
L44	1393	((program programming) with trigger) and (first with (trigger triggering)) and (second with (trigger triggering))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:37
L45	11	((program programming) with trigger) and (first with (trigger triggering)) and (second with (trigger triggering)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:37
L46	768	((program programming) with (trigger triggering)) and ((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data) and (trigger triggering) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:41
L47	345	((program programming) with (trigger triggering)) and (((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data) same (trigger triggering)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:41
L48	96	((program programming) with (trigger triggering)) and (((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data) same (trigger triggering)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) and (first with (trigger triggering)) and (second with (trigger triggering))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:47

L49	1	((program programming) with (trigger triggering)) and (((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data) same (trigger triggering)) and ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) and (first with (trigger triggering)) and (second with (trigger triggering)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:42
L50	7	((program programming) with (trigger triggering)) and (((store storing stored record recorded recording sense sensing sensor detect detecting detection detector) with data) same (trigger triggering)) same ((play playing simulate simulating simulation simulator emulate emulating emulation emulator) with data) same (first with (trigger triggering)) and (second with (trigger triggering)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:50
L51	1289	((program programming) with (trigger triggering)) and (((store storing stored record recorded recording) same (trigger triggering))) and (play playing playback)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:52
L52	869	((program programming) with (trigger triggering)) and (((store storing stored record recorded recording) with (trigger triggering))) and (play playing playback)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:54
L53	264	((program programming) with (trigger triggering)) and (((store storing stored record recorded recording) with (trigger triggering))) and ((play playing playback) with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:53
L54	10	((program programming) with (trigger triggering)) and (((store storing stored record recorded recording) with (trigger triggering))) and (play playing playback) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 12:54

L55	1	4 and (trigger triggering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:31
L57	0	4 and ((record recording save saving store storing) same (trigger triggering))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:33
L60	0	4 and ((record recording save saving store storing) same (trigger triggering)) and (play playing playback replay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:37
L61	8240	((record recording save saving store storing) same (trigger triggering)) and (play playing playback replay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:37
L62	3218	((record recording save saving store storing) same (trigger triggering)) and ((trigger triggering) same (play playing playback replay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:37
L63	15	((record recording save saving store storing) same (trigger triggering)) and ((trigger triggering) same (play playing playback replay)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:54
L64	6	((record recording save saving store storing) same (trigger triggering)) and ((trigger triggering) same (playback replay)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:49
L65	7	((record recording save saving store storing) with (trigger triggering)) and ((trigger triggering) same (play playing playback replay)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:57

L66	4	((record recording save saving store storing) with data with (trigger triggering)) and ((trigger triggering) same (play playing playback replay)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 13:57
-----	---	---	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L68	208	((record recording save saving store storing) with (trigger triggering)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:15
L69	29	((record recording save saving store storing) with data with (trigger triggering)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:17
L70	8	((((record recording save saving store storing) near data) with (trigger triggering)) and (flow with meter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/13 14:17